

Who is attending this meeting?

- I am a
 1. Nurse
 2. Advanced practice nurse
 3. Physician
 4. Social Worker
 5. Pharmacist
 6. Other

I thought the information at the
conference was

- A. Too Basic
- B. About Right
- C. Too Technical

I would attend this meeting again

- A. True
- B. False

I prefer the case-based organization used in the sessions over the usual lecture format

- A. True
- B. False

The audience response system

- A. Added to my enjoyment and attention to the conference
- B. Is too time-consuming and does not add enough value
- C. Reminded me too much of a television remote control and distracted me because I kept trying to change the channel

Case Discussion

58 yo woman with a hx of IVDA, tobacco abuse, depression and HIV

- HIV History:
 - dx~ 15 years.
 - Pt's nadir T4 was 106, most recently it was 268.
 - Her viral level has been <50 during the past three visits, but was >100,000 one year ago when she was off medications for six months during a bout of depression.
 - Current Anti-Retroviral Therapy includes a boosted PI and two nucs.

She transferred to your care six months ago and has been sporadic about keeping appointments. She presents today for a follow-up visit and wants to know if she should change her ART. She missed her last two scheduled appointments, but has recently been picking up her medications regularly- according to the pharmacy.

Risk of Non-adherence to Regimen-

Which characteristic is likely to have the most impact on adherence in this patient?

1. Race.
2. Age.
3. Gender.
4. Depression.
5. ART choice.

CAD Risk-

Which characteristic would you consider the greatest cardiac risk for this 58 yo HIV+ woman?

1. Family history of heart disease at young age.
2. Pts age.
3. Current smoker.
4. Type of ART.
5. Lipid status.

Cancer Risk-

Which statement is true concerning cancer risks in women with HIV?

1. Among Non-AIDS malignancies, breast cancer is increased in women with HIV compared to the general population.
2. Among Non-AIDS malignancies, there is a lower risk of anal cancer in people with HIV compared to the general population.
3. Among Non-AIDS malignancies, lung cancer is most common in people with HIV.

Immunizations

Which immunization has the **Most Impact** in Persons with HIV?

1. Hep B
2. Influenza
3. Pneumococcal
4. MMR
5. Tetanus